

re:think **wood**



dura crib[®] | *dura stat*[®]

re:engineered plastic lumber and cribbing catalog

by turtle plastics

tomorrow re:imagined





Tom was given a banner for his office many years ago with a caption that read, "The Turtle only makes progress when it sticks its neck out." The giver thought Tom spent a lot of time sticking his neck out in various business enterprises. When it came time to name the new company, "Turtle" seemed appropriate because of Tom's willingness to stick his neck out and focus on environmental concerns.



Today, we remain committed to solving our partners' cribbing and blocking challenges with innovative and sustainable re-engineered plastic products, while creating a spirit of peace, love and caring for the environment, our employees and our community.

re:thinking industrial plastics

35 years ago, Turtle Plastics founder Tom Norton had an idea. He saw a lot of waste being produced in the world. Plastic waste. He decided to go out on a limb. Stick his neck out, if you will, and founded Cleveland Reclaim Industries in 1980. The goal of his company was to recycle plastic rubbish from industrial plants. Later, Turtle Plastics was started to manufacture and market actual products made from this plastic rubbish.

Today, as Turtle Plastics sets its sights on the next 30 years, we have *re:defined*, *re:focused* and *re:invigorated* our brand. We have *re:envisioned* what our tomorrow looks like. We are doing this for the good of our company as well as doing what we can to help those in need around the world. Our commitment is to do right for our partners, employees, the environment and most importantly, our community.

<i>plastic cribbing -vs- wood</i>	4-5, 22
<i>standard profile cribbing</i>	6-7, 14
<i>step chocks</i>	8
<i>cog step chock combo</i>	9
<i>space saver stabilization cribbing</i>	10
<i>super cribs</i>	11
<i>hi-rail plastic cribbing</i>	12
<i>big stuff in action</i>	13
<i>wedges</i>	15
<i>lifting bag protection pads</i>	16
<i>shoring systems</i>	17
<i>lock blocks</i>	18
<i>crib toters</i>	19
<i>cribbing kits</i>	20-23
<i>static composite lumber</i>	24-26
<i>forklift stabilization safety kits</i>	27-28
<i>towing, deck matting</i>	29
<i>hose bridges</i>	30
<i>compartment matting</i>	31



*"If we create a market for recycled plastics, in the form of **products**, then the rest of the issues, such as collection and processing will take care of themselves."*

—Tom Norton



re:imagine stability

For years, fire departments, industrial plants, mining, and construction workers have used wood to crib, block, or stabilize equipment, products and vehicles. 99% of cribbing being used today is wood. Wood is relatively inexpensive but comes with knots, is absorbent, cracks, splits and splinters. *The only guarantee with wood is that you will eventually need to replace it.*



Plastic cribbing has no knots and does not split, crack, or splinter. It does not absorb blood, oil, or most chemicals and is slip-resistant. *Turtle Plastics' guarantee is for 50 years. This saves you time and money in the long run.*

re:engineered plastic benefits

- 100% recycled plastic construction for added durability*
- Unmatched strength - stronger than oak
- Resistant to gas, oil, chemicals, even blood!!
- 50 year warranty against splitting, rotting, absorption, termites and mold
- Lightweight and splinter free
- Available in black and HI-VIS yellow
- Repeatability

* Against splitting, rot, fluid absorption, termites or mold

PLASTIC -VS- WOOD

ATTRIBUTE	PLASTIC	WOOD
Absorption	Almost Zero	Everything
Splitting	None	Yes
Knots	None	Yes
Stability	Very	No
Warranty	50 Years*	None
Lab Tested	Yes	None
Time	Very Fast	Slow
Environmentally Sound	Yes	Poor
P.S.I.	700-1200	200-1000
Consistency	± 2%	0
Predictability	99%	0

• active -vs- static cribbing

Active cribbing is used when a person is working near the cribbing. Static (or Passive) cribbing is used to keep material off the ground to allow a forklift to operate.

• design strength

Crossgrain bearing design strength for traditional wood cribbing varies by wood species from 200 PSI to 1000 PSI.

For example using:

500 PSI; Strength $500 \times 3.5 \times 3.5 \times 4 = 24,000$ lbs.

Plastic cribbing can sustain up to 700-1200 PSI. Creating a safer, longer lasting and more durable cribbing base.

• TOM (technical operations manual)

Available upon request.

The Army Corps of Engineers is the leading source of cribbing information and recommends the following cribbing guidelines.

Bottom layer should be solid to spread the load, especially on soil or asphalt paving.

Limit height to 3 times width (shortest width for non-square cribs).

Overlap corner by 4 inches to assure slow crush-type failure.

Source: U.S. Army Corps of Engineers

Design Strength is Based on Crossgrain Bearing


(VARIES FROM 200 PSI TO 1000 PSI DEPENDING ON WOOD SPECIES
500 PSI IS USED HERE - EXAMPLE $500 \times 3.5 \times 3.5 \times 4 = 24,000$)

FOR 2 MEMBER x 2 MEMBER LAYOUT




4 x 4 CRIB CAPACITY = 24,000 LBS (12 TONS)

6 x 6 CRIB CAPACITY = 60,000 LBS (30 TONS)


FOR 3 MEMBER x 3 MEMBER CRIB, CAPACITY IS 9/4 AS MUCH
 $500 \times 3.5'' \times 3.5'' \times 9 = 55,000$, $500 \times 5.5'' \times 5.5'' \times 9 = 136,000$



- BOTTOM LAYER SHOULD BE SOLID TO SPREAD THE LOAD ESPECIALLY ON SOIL OR ASPHALT PAVING
- LIMIT HEIGHT TO 3 TIMES WIDTH (SHORTEST WIDTH FOR NON-SQUARE CRIBS)
- OVERLAP CORNERS BY 4 INCHES TO ASSURE SLOW CRUSH TYPE FAILURE



BOTH ARE NOT VERY STABLE, KEEP HEIGHT TO WIDTH WITHIN 1 TO 1



Source: U.S. Army Corps of Engineers

Design Strength is Based on Crossgrain Bearing


(VARIES FROM 200 PSI TO 1000 PSI DEPENDING ON WOOD SPECIES
500 PSI IS USED HERE - EXAMPLE $500 \times 3.5 \times 3.5 \times 4 = 24,000$)

FOR 2 MEMBER x 2 MEMBER LAYOUT




4 x 4 CRIB CAPACITY = 24,000 LBS (12 TONS)

6 x 6 CRIB CAPACITY = 60,000 LBS (30 TONS)


FOR 3 MEMBER x 3 MEMBER CRIB, CAPACITY IS 9/4 AS MUCH
 $500 \times 3.5'' \times 3.5'' \times 9 = 55,000$, $500 \times 5.5'' \times 5.5'' \times 9 = 136,000$



- BOTTOM LAYER SHOULD BE SOLID TO SPREAD THE LOAD ESPECIALLY ON SOIL OR ASPHALT PAVING
- LIMIT HEIGHT TO 3 TIMES WIDTH (SHORTEST WIDTH FOR NON-SQUARE CRIBS)
- OVERLAP CORNERS BY 4 INCHES TO ASSURE SLOW CRUSH TYPE FAILURE



BOTH ARE NOT VERY STABLE, KEEP HEIGHT TO WIDTH WITHIN 1 TO 1



Source: U.S. Army Corps of Engineers


hybrid - the new standard in cribbing

- 2 surfaces in one crib.
- Pyramid design securely locks at any angle.
- Three side notches interlock for secure stacking.
- Non splitting.
- Resists oil, gasoline and blood absorption.
- Built in lanyard.

PART#
44PL-18



DESCRIPTION/DIMENSIONS
Pyramid / Lincoln Log 4" x 4" x 18"

WEIGHT
6 lbs.



Slip-resistant pyramid locking surface creates a stronger, more stable base than wood.

Locking "Lincoln Log" style sides allow for additional strength and stacking configurations.



4" x 4"





Get training from a certified instructor on how to properly stack cribbing.



pyramid cribbing

- Pyramid-locking surface on two sides.
- Built in lanyard.

PART#	DIMENSIONS	WEIGHT
24-18	2" x 4" x 18"	3 lbs.
44-18	4" x 4" x 18"	7 lbs.



lincoln log cribbing

- Three side notches interlock for secure stacking.
- Excellent stability.



PART#	DIMENSIONS	WEIGHT
44LL-18	4" x 4" x 18"	6.5 lbs.




crib fast

crib fast step chocks (active)



- Fastest way to stabilize
- Ensures stability
- Work faster against the golden hour



step chock

- Quickly stabilize passenger vehicles.
- Lightweight.
- Built-in hand hold.

PART#	BASE	WIDTH	HGT	WGT
SC-1	24 ³ / ₄ " x 5 ³ / ₄ "	3 ³ / ₄ "	10 ³ / ₄ "	17 lbs.

SUV/F-150 step chock

- Quickly stabilize trucks and SUV's.
- Stable footprint.
- Built-in hand hold.

PART#	BASE	WIDTH	HGT	WGT
SC-2	29 ¹ / ₂ " x 9"	4 ¹ / ₂ "	17 ¹ / ₄ "	37 lbs.

giant truck/bus step chock

- Quickly stabilize large vehicles.
- Built-in hand hold.

PART#	BASE	WIDTH	HGT	WGT
SC-3	31 ¹ / ₂ " x 11"	5"	22"	63 lbs.



NEW easy-grip lanyard!

**Works like the cog incline railroad...
a simple design that works!**



**See page 23
for COG kits!**

**new cog and
step chock combo**

1. Wedge and incline lock together for maximum stability
2. Flip and it's a standard step chock-quick set up and leveling

Scan this QR code to read the entire article in *Fire Apparatus & Emergency Equipment*, September 2013 issue.


“The combination of the incline of the cogged ramp and the wedge effectively creates a system that captures and secures the vehicle...”

PART#	BASE	WIDTH	HGT	WGT
COG	24 ³ / ₈ "	6 ⁵ / ₈ "	10 ³ / ₄ "	24 lbs.



re:think small

Save precious cargo space and weight with these convenient “stubby” cribbing options. Made from the same heavy duty plastic as our regular Dura Crib Plastic Cribbing but weighs less, and takes up less room.



S.S.S. step chock

PART#	BASE	WIDTH	HGT	WGT
SC-1-8.5/24	8 1/2" x 24 1/2"	8 1/2"	8 1/2"	17 lbs.
SC-1-8.5/18	8 1/2" x 18"	8 1/2"	8 1/2"	17 lbs.



S.S.S. stubby wedges

12"–15" for space saving

PART#	DIMENSIONS	WEIGHT
2/4-12	2" x 4" x 12"/15"	1.5 lbs.
4/4-12	4" x 4" x 12"/15"	4 lbs.
6/7-12	6" x 7" x 12"/15"	7 lbs.



S.S.S. cribbing

12"–15" for space saving

PART#	DIMENSIONS	WEIGHT
24-12	2" x 4" x 12"/15"	1.5 lbs.
44-12	4" x 4" x 12"/15"	2 lbs.
67SC-12	6" x 7" x 12"/15"	16 lbs.



re:think big

Larger and larger is the cry we hear!

- Larger Vehicles
- Railroad
- Construction
- Mining
- Oil and gas





super crib

- Reassurance on the largest jobs.
- Heavy duty construction
- Lanyard available.



AND STANDING IN THIS CORNER.... Our new "baby", The Slab™ weighing in at a full 6" x 12" x 24"! (See next page)


PART	DIMENSIONS	WEIGHT
① 67SC-24	6" x 7" x 24"	25 lbs.
② 66SC-36	6" x 6" x 36"	38 lbs.
③ 44SC-36	4" x 4" x 36"	15 lbs.
④ 44 HDC-30	4" x 4" x 30"	17 lbs.
⑤ 67 HDC-30	6" x 7" x 30"	27 lbs.
⑥ 6/7-24	6" x 7" x 24"	27 lbs.
⑦ 612-24	6" x 12" x 24"	52 lbs.



the slab™ super crib

- Reassurance on the largest jobs.
- Heavy duty construction.
- Available in full slab or half slab!

NAME	PART	DIMENSIONS	WEIGHT
The Slab®	612-24	6" x 12" x 24"	52 lbs.
The Half Slab®	612-12	6" x 12" x 12"	26 lbs.



hi-rail plastic cribbing

- Reassurance on the largest jobs.
- Heavy duty construction.



Rail car maintenance



Hi-rail stabilization



big stuff in action!



re:think really big



Tom Norton, seen here with Fred Van de Reep, at Finning Caterpillar in Ft. McMurray in Alberta, Canada, where Super Cribs are being used to stabilize enormous dump truck and road grader frames to facilitate repairs.

super crib

- Reassurance on the largest jobs.
- Heavy duty construction.

PART	DIMENSIONS	WEIGHT
67 HDC-30	6" x 7" x 30"	40 lbs.

*wedges (active)**re:think stability*

the wedge story

Every department has their own ideas about cribbing. But there is probably more discussion about cribbing wedges than almost any aspect of extrication. With 32,000 fire departments in the US, there are obviously many great ideas. Whether you prefer smooth or stepped, big or small, we have it all!

We are making a lot of different kinds of wedges, but if you've got a better idea, tell us please!






standard wedges

- Convenient lanyard

PART#	DIMENSIONS	WEIGHT
2/4-12	2" x 4" x 12"	1.5 lbs.
4/4-20	4" x 4" x 20"	4 lbs.
6/7-24	6" x 7" x 24"	27 lbs.




combo crib wedges

- Dimensional cribbing and wedge combined into a convenient combo kit

4x4 crib 4/4-20 wedge lanyard together
6x7 crib 6/7-24 wedge lanyard together

PART#	WEIGHT
CW44-18 + 4/4-20	11 lbs.
CW67SC-24 + 6/7-24	36 lbs.



combo step chock wedges

- Small Step Chock with 4/4-20 and lanyard
- Medium Step with 6/7-24 and lanyard

PART#	WEIGHT
SWSC-1 + 4/4-20	21 lbs.
SWSC-2 + 6/7-24	64 lbs.



stepped wedges

- 3" high stepped top surface slope downward for improved grip
- Convenient lanyard optional

PART#	DIMENSIONS	WEIGHT
3W	3" x 8.5"	1.5 lbs.
6W	6" x 8.5"	3 lbs.
12W	12" x 8.5"	12 lbs.
24W	24" x 8.5"	26 lbs.



wood plastic sandwich

- All the bite of wood with a durable plastic core

PART#	DIMENSIONS	WEIGHT
4/4-18SW	4" x 4" x 18"	5 lbs.
6/6-24SW	6" x 6" x 24"	13 lbs.



door wedges

PART#	DIMENSIONS	WEIGHT
2/4-12	2" x 4" x 12"	1.5 lbs.
1.5W	1.5" x 8.5"	.75 lbs.
3W	3" x 8.5"	1.5 lbs.



mini & sprinkler wedges

PART#	DIMENSIONS	WEIGHT
WIT-Y	Yellow	.2 lbs.
WIT-P	Pink	.2 lbs.
WIT-N	Neon	.2 lbs.



pyramid face wedges

- Offers aggressive surface contact with vehicle or underlayment by placing the wedge either up or down


PART#	DIMENSIONS	WEIGHT
4/4-PD	4" x 4" x 19"	3.5 lbs.
4/4-PU	4" x 4" x 19"	3.5 lbs.
6/7-PD	6" x 7" x 24"	27 lbs.
6/7-PU	6" x 7" x 24"	27 lbs.



lifting bag protection pads

- Protects expensive bags from hidden glass, sharp stones.
- Helps protect against cuts and deflation.
- Top bag pad flexes to conform to irregular surfaces.
- Molded crosshairs help to center bag.
- Keeps bags from sudden deflation.

PART#	DIMENSIONS	WEIGHT
BP2424	24" x 24"	17 lbs.
TBP	18" x 18"	13 lbs.





Stabilize on the opposite side with our step chocks

poor man's shoring crib


- Pointed end to vehicle.
- Double tie-back for 3-point hook up.
- 30% slope to ground.
- Individual component or kit available.

PMSC KIT

PART#	WEIGHT
(2) 44-SHC	30 lbs. each
(2) SC1	17 lbs. each
(2) 6W	3 lbs. each



creating a stable platform on any surface



on the ground



on a seat cushion



on hard surfaces

lock blocks

- Versatile stackable blocks
- Surface interlocks for stability



PART#	DIMENSIONS	WEIGHT
1B	1" x 9" x 9"	3 lbs.
2B	2" x 9" x 9"	5 lbs.
3B	3" x 9" x 9"	7 lbs.


Also available in smooth (add S)



crib toters and kits

- Each Toter carries 9 pieces of cribbing
- Reinforced heavy duty nylon
- Top and side handles

PART#	DESCRIPTION/DIMENSIONS	WEIGHT
CT	Crib Toter Only	2 lbs.
CT44-18	(2) Toters; (18) Pyramid Crib	128 lbs.
CT44LL-18	(2) Toters; (18) Lincoln Log Crib	110 lbs.
CT44PL-18	(2) Toters; (18) Hybrid Crib	128 lbs.
CT-SSS-15	(2) Toters; (18) 15" Space Saver Crib	49 lbs.
CT-SSS-12	(2) Toters; (18) 12" Space Saver Crib	39 lbs.



Stand up straight and see where you're going! It's easier on your back (and safer) to carry two equal loads at your sides.



crib kit C

buy kits
and get a
bonus!



b.a.s.k. kit 2



quick response kit (qr-2)

crib kit A

- (6) - 2" x 4" x 18" Pyramid Crib
- (2) - 2" x 4" x 12" Wedge
- (6) - 4" x 4" x 18" Pyramid Crib
- (2) - 4" x 4" x 20" Wedge
- (4) - 4" x 4" x 18" Lincoln Log
- (2) - 3" W x 8.5" Long Wedge
- (2) - 6" W x 8.5" Long Wedge
- (1) - 1" Thick x 9" Sq. Lock Block
- (1) - 2" Thick x 9" Sq. Lock Block
- (1) - 3" Thick x 9" Sq. Lock Block
- (2) - Step Chock
- (1) - Twin Chock
- (2) - Bags
- (1) - Toter

Total Kit Weight 192 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (1) 3W Wedge

super crib kit C

- (24) 2" x 4" x 18" Pyramid Crib
- (8) 2" x 4" x 12" Wedge
- (24) 4" x 4" x 18" Pyramid Crib
- (8) 4" x 4" x 20" Wedge
- (16) 4" x 4" x 18" Lincoln Log
- (8) 6" x 7" x 24" Super Crib
- (2) 6" x 7" x 24" Super Wedge
- (6) 3" W x 8.5" Long Wedge
- (6) 6" W x 8.5" Long Wedge
- (3) 1" Thick x 9" Sq. Lock Block
- (3) 2" Thick x 9" Sq. Lock Block
- (3) 3" Thick x 9" Sq. Lock Block
- (8) Step Chock
- (4) Medium Step Chock
- (2) Giant Step Chock
- (4) 24"x24" Bag Pad Black
- (4) Top Bag Pad
- (3) Twin Chocks
- (6) Bags
- (4) Toters

Total Kit Weight 1531 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (1) 3W Wedge
- (1) 6W Wedge
- (2) Shoring Crib
- (4) 44LL-18 Lincoln Log

crib kit B

- (12) 2" x 4" x 18" Pyramid Crib
- (4) 2" x 4" x 12" Wedge
- (12) 4" x 4" x 18" Pyramid Crib
- (4) 4" x 4" x 20" Wedge
- (8) 4" x 4" x 18" Lincoln Log
- (4) 3" W x 8.5" Long Wedge
- (4) 6" W x 8.5" Long Wedge
- (2) 1" Thick x 9" Sq. Lock Block
- (2) 2" Thick x 9" Sq. Lock Block
- (2) 3" Thick x 9" Sq. Lock Block
- (4) Step Chock
- (2) Medium Step Chock
- (2) 24" x 24" Bag Pad Black
- (2) Top Bag Pad
- (2) Twin Chocks
- (3) Bags
- (3) Toters

Total Kit Weight 584 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (1) 3W Wedge
- (1) 6W Wedge
- (4) 44LL-18 Lincoln Log

crib kit D

- (48) 2" x 4" x 18" Pyramid Crib
- (16) 2" x 4" x 12" Wedge
- (48) 4" x 4" x 18" Pyramid Crib
- (16) 4" x 4" x 20" Wedge
- (32) 4" x 4" x 18" Lincoln Log
- (8) 3" W x 8.5" Long Wedge
- (8) 6" W x 8.5" Long Wedge
- (4) 1" Thick x 9" Sq. Lock Block
- (4) 2" Thick x 9" Sq. Lock Block
- (4) 3" Thick x 9" Sq. Lock Block
- (16) Step Chock
- (8) Medium Step Chock
- (4) Giant Step Chock
- (8) 24"x24" Bag Pad Black
- (8) Top Bag Pad
- (4) Twin Chocks
- (6) Bags
- (12) Toters

Total Kit Weight 2393 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (2) Shoring Crib
- (8) 44LL-18 Lincoln Logs
- (2) 3W Wedge
- (1) Giant Step Chock
- (2) 6W Wedge

crib kit C

- (24) 2" x 4" x 18" Pyramid Crib
- (8) 2" x 4" x 12" Wedge
- (24) 4" x 4" x 18" Pyramid Crib
- (8) 4" x 4" x 20" Wedge
- (16) 4" x 4" x 18" Lincoln Log
- (6) 3" W x 8.5" Long Wedge
- (6) 6" W x 8.5" Long Wedge
- (3) 1" Thick x 9" Sq. Lock Block
- (3) 2" Thick x 9" Sq. Lock Block
- (3) 3" Thick x 9" Sq. Lock Block
- (8) Step Chock
- (4) Medium Step Chock
- (2) Giant Step Chock
- (4) 24"x24" Bag Pad Black
- (4) Top Bag Pad
- (3) Twin Chocks
- (6) Bags
- (4) Toters

Total Kit Weight 1296 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (1) 3W Wedge
- (1) 6W Wedge
- (2) Shoring Crib
- (4) 44LL-18 Lincoln Logs

super crib kit D

- (48) 2" x 4" x 18" Pyramid Crib
- (16) 2" x 4" x 12" Wedge
- (48) 4" x 4" x 18" Pyramid Crib
- (16) 4" x 4" x 20" Wedge
- (32) 4" x 4" x 18" Lincoln Log
- (16) 6" x 7" x 24" Super Crib
- (4) 6" x 7" x 24" Super Wedge
- (8) 3" W x 8.5" Long Wedge
- (8) 6" W x 8.5" Long Wedge
- (4) 1" Thick x 9" Sq. Lock Block
- (4) 2" Thick x 9" Sq. Lock Block
- (4) 3" Thick x 9" Sq. Lock Block
- (16) Step Chock
- (8) Medium Step Chock
- (4) Giant Step Chock
- (8) 24" x 24" Bag Pad Black
- (8) Top Bag Pad
- (4) Twin Chocks
- (6) Bags
- (12) Toters

Total Kit Weight 2813 Lbs.

FREE BONUS

- (1) Set Of Lock Blocks
- (2) Shoring Crib
- (8) 44LL-18 Lincoln Log
- (2) 3W Wedge
- (1) Giant Step Chock
- (2) 6W Wedge

S.S.S. & USAR kits

s.s.s. kit A

- (6) 2" x 4" x 12"/15" Pyramid Crib
- (2) 2" x 4" x 12"/15" Wedge
- (6) 4" x 4" x 12"/15" Pyramid Crib
- (2) 4" x 4" x 12" Wedge
- (2) 3" Wide x 8.5" Long Wedge
- (2) 6" Wide x 8.5" Long Wedge
- (1) 1" Thick x 9" Lock Block
- (1) 2" Thick x 9" Lock Block
- (1) 3" Thick x 9" Lock Block
- (2) 8.5" Hgt or 8.5"/18" Length
- (1) Double Wheel Chock
- (1) Crib Toter
- (2) Carrying Bag

Total Kit Weight 101 Lbs.

FREE BONUS

- (1) Lock Block

s.s.s. kit B

- (12) 2" x 4" x 12"/15" Pyramid Crib
- (4) 2" x 4" x 12"/15" Wedge
- (12) 4" x 4" x 12"/15" Pyramid Crib
- (4) 4" x 4" x 12" Wedge
- (4) 3" Wide x 8.5" Long Wedge
- (4) 6" Wide x 8.5" Long Wedge
- (2) 1" Thick x 9" Lock Block
- (2) 2" Thick x 9" Lock Block
- (2) 3" Thick x 9" Lock Block
- (4) 8.5" Hgt or 8.5"/18" Length
- (2) Medium Step Chock
- (2) 24"x24" Bag Pad Black
- (2) Top Bag Pad
- (2) Double Wheel Chock
- (3) Crib Toter
- (3) Carrying Bag

Total Kit Weight 336 Lbs.

FREE BONUS

- (1) Lock Block
- (1) 3W Wedge
- (1) 6W Wedge
- (2) 44LL-18 Lincoln Log

s.s.s. kit C

- (24) 2" x 4" x 12"/15" Pyramid Crib
- (8) 2" x 4" x 12"/15" Wedge
- (24) 4" x 4" x 12"/15" Pyramid Crib
- (8) 4" x 4" x 12" Wedge
- (6) 3" Wide x 8.5" Long Wedge
- (6) 6" Wide x 8.5" Long Wedge
- (3) 1" Thick x 9" Lock Block
- (3) 2" Thick x 9" Lock Block
- (3) 3" Thick x 9" Lock Block
- (8) 8.5" Hgt or 8.5"/18" Length
- (4) Medium Step Chock
- (2) Giant Step Chock
- (4) 24"x24" Bag Pad Black
- (4) Top Bag Pad
- (3) Double Wheel Chock
- (4) Crib Toter
- (6) Carrying Bag

Total Kit Weight 798 Lbs.

FREE BONUS

- (1) Lock Block
- (1) 3W Wedge
- (1) 6W Wedge
- (2) Shoring Crib
- (4) 44LL-18 Lincoln Log

s.s.s. kit super D

- (48) 2" x 4" x 12"/15" Pyramid Crib
- (16) 2" x 4" x 12"/15" Wedge
- (48) 4" x 4" x 12"/15" Pyramid Crib
- (16) 4" x 4" x 12" Wedge
- (16) 6" x 7" x 12"/15" Super Crib
- (4) 6" x 7" x 12"/15" Super Wedge
- (8) 3" Wide x 8.5" Long Wedge
- (8) 6" Wide x 8.5" Long Wedge
- (4) 1" Thick x 9" Lock Block
- (4) 2" Thick x 9" Lock Block
- (4) 3" Thick x 9" Lock Block
- (16) 8.5" Hgt or 8.5"/18" Length
- (8) Medium Step Chock
- (4) Giant Step Chock
- (8) 24" x 24" Bag Pad Black
- (8) Top Bag Pad
- (4) Double Wheel Chock
- (12) Crib Toter
- (6) Carrying Bag

Total Kit Weight 1,180 Lbs.

FREE BONUS

- (1) Lock Block
- (1) 3W Wedge
- (1) 6W Wedge
- (2) Shoring Crib
- (8) 44LL-18 Lincoln Log
- (1) Giant Step Chock

s.s.s. kit super C

- (24) 2" x 4" x 12"/15" Pyramid Crib
- (8) 2" x 4" x 12"/15" Wedge
- (24) 4" x 4" x 12"/15" Pyramid Crib
- (8) 4" x 4" x 12" Wedge
- (2) 6" x 7" x 12"/15" Super Wedge
- (6) 3" Wide x 8.5" Long Wedge
- (6) 6" Wide x 8.5" Long Wedge
- (3) 1" Thick x 9" Lock Block
- (3) 2" Thick x 9" Lock Block
- (3) 3" Thick x 9" Lock Block
- (8) 8.5" Hgt or 8.5"/18" Length
- (4) Medium Step Chock
- (2) Giant Step Chock
- (4) 24" x 24" Bag Pad Black
- (4) Top Bag Pad
- (3) Double Wheel Chock
- (4) Crib Toter
- (6) Carrying Bag

Total Kit Weight 940 Lbs.

FREE BONUS

- (1) Lock Block
- (1) 3W Wedge
- (1) 6W Wedge
- (2) Shoring Crib
- (4) 44LL-18 Lincoln Log

s.s.s. kit D

- (48) 2" x 4" x 12"/15" Pyramid Crib
- (16) 2" x 4" x 12"/15" Wedge
- (48) 4" x 4" x 12"/15" Pyramid Crib
- (16) 4" x 4" x 12" Wedge
- (8) 6" x 7" x 12"/15" Super Crib
- (8) 3" Wide x 8.5" Long Wedge
- (8) 6" Wide x 8.5" Long Wedge
- (4) 1" Thick x 9" Lock Block
- (4) 2" Thick x 9" Lock Block
- (4) 3" Thick x 9" Lock Block
- (16) 8.5" Hgt or 8.5"/18" Length
- (8) Medium Step Chock
- (4) Giant Step Chock
- (8) 24" x 24" Bag Pad Black
- (8) Top Bag Pad
- (4) Double Wheel Chock
- (12) Crib Toter
- (6) Carrying Bag

Total Kit Weight 896 Lbs.

FREE BONUS

- (1) Lock Block
- (2) Shoring Crib
- (8) 44LL-18 Lincoln Log
- (1) 3W Wedge
- (1) 6W Wedge
- (1) Giant Step Chock

USAR kit

- (24) 4" x 4" x 18" Crib
- (24) 2" x 4" x 18" Crib
- (12) 4" x 4" x 20" Wedge
- (12) 2" x 4" x 12" Wedge
- (1) Twin Wheel Chock
- (1) Carrying Bag
- (4) Crib Toter

Total Kit Weight 420 Lbs.

super USAR kit 1

- (24) 4" x 4" x 18" Crib
- (24) 2" x 4" x 18" Crib
- (12) 4" x 4" x 20" Wedge
- (12) 2" x 4" x 12" Wedge
- (4) Step Chock
- (2) Bag Pad
- (2) Medium Step Chock
- (2) Top Bag Pad
- (2) Giant Step Chock
- (2) Shoring Crib
- (24) Lincoln Log
- (8) Super Crib
- (2) Twin Wheel Chock
- (2) Carrying Bag
- (6) Crib Toter
- (2) Super Wedge
- (1) Hose Bridge Set

Total Kit Weight 1570 Lbs.

super USAR kit 2

- (24) 4" x 4" x 18" Crib
- (24) 2" x 4" x 18" Crib
- (12) 4" x 4" x 20" Wedge
- (12) 2" x 4" x 12" Wedge
- (8) Step Chock
- (4) Bag Pad
- (4) Medium Step Chock
- (4) Top Bag Pad
- (4) Giant Step Chock
- (4) Shoring Crib
- (48) Lincoln Log
- (16) Super Crib
- (4) Twin Wheel Chock
- (1) Carrying Bag
- (9) Crib Toter
- (4) Super Wedge
- (2) Hose Bridge Set

Total Kit Weight 2375 Lbs.

B.A.S.K. 1

- (4) 44PL-18 Black
- (4) 4/4-20 Wedges Yellow
- (1) Double Wheel Chock Yellow
- (1) BASK Bag

Total Kit Weight 55 Lbs.

B.A.S.K. 2

- (4) SC1 Black
- (4) 4/4-20 Wedge Yellow
- (1) Double Wheel Chock Yellow
- (2) BASK Bag*

Total Kit Weight 91 Lbs.

quick response kits

QR-2

- (2) Step Chock
- (2) 3" Wedge
- (1) 1B Lock Block
- (1) 2B Lock Block
- (1) Double Wheel Chock Yellow
- (1) Carrying Bag 25" x 15" x 6"

Total Kit Weight 42 Lbs.



cog step chock kits

COG step chock kit A

- (2) COG Step Chock
- (2) Lock Block Kit
- (1) Lock Block Kit Yellow
- (1) Carrying Bag

Total Kit Weight 100 Lbs.

FREE BONUS

- (1) Bag Pad

COG step chock kit B

- (4) COG Step Chock
- (4) Lock Block Kit
- (2) Lock Block Kit Yellow
- (2) Carrying Bag

Total Kit Weight 200 Lbs.

FREE BONUS

- (1) Bag Pad
- (1) Top Bag Pad

COG step chock kit C

- (8) COG Step Chock
- (8) Lock Block Kit
- (4) Lock Block Kit Yellow
- (4) Carrying Bag

Total Kit Weight 400 Lbs.

FREE BONUS

- (2) Bag Pad
- (2) Top Bag Pad

COG step chock kit D

- (16) COG Step Chock
- (16) Lock Block Kit
- (8) Lock Block Kit Yellow
- (8) Carrying Bag

Total Kit Weight 800 Lbs.

FREE BONUS

- (4) Bag Pad
- (4) Top Bag Pad



COG crib kit B

COG step chock kit B, C, & D bonus



See page 9 for more COG info!

active -vs- static cribbing

Active cribbing is used when a person is working near the cribbing. Static (or passive) cribbing is used to keep material off the ground to allow a forklift to operate.

plastic cribbing blocks for optimal safety

DURA CRIB® and DURA STAT® cribbing blocks optimize safety when stabilizing heavy loads after they have been lifted for maintenance and access.

The DURA CRIB® plastic blocking systems offer a more stable, longer lasting* and easily cleaned alternative to wooden blocks. They have an aggressive patterned slip-resistant pyramid locking surface for stable cribbing, chocking, bracing, and shoring.

DURA STAT® plastic blocking systems offer the same advantages but is designed for a single layer to allow loads or products to be easily picked up. It is similar in its surface to wood.

DURA STAT® is available in profiles of 2" x 2" up to 12" x 16" and in lengths up to 24'.

TOM (technical operations manual) available upon request.



Unlike wood, plastic offers a stable, predictable and high load capacity which ultimately deforms only slowly under extreme load, because of the homogenous material used. According to surveys, safety seems to be the main driver in the switch away from wooden blocks, which audibly crack under high loads.

However, environmental issues and the simple economics of paying a little more for a product with a 50 year warranty* are also becoming strong incentives.

The plastic system will not splinter and does not absorb most fluids. The system is also easily customized into special shapes to create ramps and irregular shapes.

PLASTIC -VS- WOOD

ATTRIBUTE	PLASTIC	WOOD
Absorption	Almost Zero	Everything
Splitting	None	Yes
Knots	None	Yes
Stability	Very	No
Warranty	50 Years*	None
Lab Tested	Yes	None
Time	Very Fast	Slow
Environmentally Sound	Yes	Poor
P.S.I.	700-1200	200-1000
Consistency	± 2%	0
Predictability	99%	0

*Against splitting, rot, fluid absorption, termites or mold

THE USER MUST BE FAMILIAR WITH THIS GUIDE AND ONLY THE END USER CAN DETERMINE LOAD CAPACITY. ANY BENDING, DEFLECTION, SAGGING, BULGING OR DEFORMITY WILL NECESSITATE ADDITIONAL CRIBS.

As the use of our products under user's conditions are beyond our control, no warranty, expressed or implied, including but not limited to, merchantability or fitness for a particular use, is made concerning our products. DISCLAIMER: Under no circumstances shall company be liable to the original purchaser at retail or any other person for any special or consequential damages, whether arising out of breach of warranty, breach of contract, or otherwise. Company shall in no event be liable for any breach of warranty in an amount exceeding the purchase price of any product, nor will company be bound by any statement or representation to the quality or performance of any product.

square plastic lumber (Maximum length 12')



SIZE	WEIGHT
2" x 2" x 6'	6.1 lbs.
2" x 2" x 8'	8 lbs.
2" x 2" x 12'	12 lbs.
4" x 4" x 6'	31 lbs.
4" x 4" x 8'	41 lbs.
4" x 4" x 12'	61 lbs.

round plastic lumber (Maximum length 12')



SIZE	WEIGHT
4" dia x 6'	32 lbs.
4" dia x 8'	42 lbs.
4" dia x 12'	63 lbs.
6" dia x 6'	71 lbs.
6" dia x 8'	94 lbs.
6" dia x 12'	142 lbs.

rectangular plastic lumber (Maximum length 12')



Available in 1' Increments
 Sizes are nominal wood sizes (i.e. 2" x 4" actual 1½" x 3½")
 Additional sizes to 12" x 16" x 24'

SIZE	WEIGHT	SIZE	WEIGHT
2" x 3" x 6'	10 lbs.	2" x 10" x 6'	36 lbs.
2" x 3" x 8'	13 lbs.	2" x 10" x 8'	48 lbs.
2" x 3" x 12'	19 lbs.	2" x 10" x 12'	72 lbs.
2" x 4" x 6'	13 lbs.	3" x 4" x 6'	21 lbs.
2" x 4" x 8'	18 lbs.	3" x 4" x 8'	28 lbs.
2" x 4" x 12'	26 lbs.	3" x 4" x 12'	42 lbs.
2" x 6" x 6'	20 lbs.	3" x 10" x 6'	58 lbs.
2" x 6" x 8'	26 lbs.	3" x 10" x 8'	76 lbs.
2" x 6" x 12'	39 lbs.	3" x 10" x 12'	115 lbs.
2" x 8" x 6'	26 lbs.	3" x 12" x 8'	85 lbs.
2" x 8" x 8'	34 lbs.	4" x 6" x 12'	79 lbs.
2" x 8" x 12'	51 lbs.		

Custom cribbing...made to order!



Got wood? Get plastic!

Now you can order your own custom cribbing made specifically for your application! Send us your old wood model and we'll make a duplicate that not only weighs less, but will never split, rot, crack or mold. Plus, there's a 50-year warranty.

what is it?

Unlike our interlocking DURA CRIB® products, DURA STAT® composite lumber is most similar to ordinary wood lumber in that it does not interlock.

However, it is very different in that it has...

- Repeatable formulation of the plastic formula
- Repeatable manufacturing process
- Consistent quality control testing
- Repeatable lab testing for tensile strength, psi and other required testing
- 50 Year Warranty (for absorption of most chemicals, rot, mildew, termites, and splitting)


sheet metal blocking

- Provides spacing for easy pickup with forklift.
- Choose 4" x 4" or 2" x 4", variable lengths.




spool | coil chocks

- Stepped top surface that slopes downward for extra gripping power.
- Many sizes available.



dura stat® is available in round, square, and rectangle shapes

- Profiles up to 12" x 16"
- Lengths up to 24'!!
- 3 levels of strength




tool storage blocking

- Replaces traditional wood blocking.
- Variable lengths.

coil pads

- Coil pads replace standard wood retainer.
- Warrantied for 50 years, these pads will hold any type of coiled product without cracking or splintering. Available in 4', 5', or 6' lengths.



PART	DIMENSIONS
Spool Coil Chocks	Variable
Sheet Metal Parts Blocking*	Variable
Coil Pads	Variable
Tool Storage Blocking*	Variable

*Lengths available up to 24'

forklift stabilization safety kits

These parts are included
in kits B & C



forklift kit A



Kits contain the basic Composite Cribbing and Wheel Chocks useful for safely working on FORKLIFTS.

A convenient carrying bag is provided for smaller parts.

kit A

Contains the basic suggested cribbing and wheel chocks

kit B

Adds 2 more popular cribbing items:
(2) SC-2 Medium Step Chocks
(2) RS-44-1-10° Rizers

kit C

Adds 4 pieces of the large interlocking Super Crib:
(4) 67SC-24 Super Crib

FORKLIFT STABILIZATION SAFETY KITS (COMPOSITE CRIBBING & WHEEL CHOCKS)

PART	DESCRIPTION	CRIB KIT A	CRIB KIT B	CRIB KIT C
Ⓐ 4x4x48	Block Mast 4" x 4" x 48" (true size)	2	2	2
Ⓑ 4x4x22	Block Mast 4" x 4" x 22" (true size)	2	2	2
Ⓒ 67HD-12/L	Block Pyramid Surfaced Large	2	2	2
Ⓓ WC-1-L	Wheel Chock Large	2	2	2
Ⓔ 3W-SM-L	Wheel Chock Small	2	2	2
Ⓕ 2.5-3.5-6-L	2.5" x 3.5" x 6" Block Outrigger	2	2	2
Ⓖ 3.5-3.5-9	3.5" x 3.5" x 9" Block Pantograph	2	2	2
Ⓗ 3.5-3.5-13	3.5" x 3.5" x 13" Block Pantograph	2	2	2
Ⓘ Clamp	Clamp	2	2	2
Ⓝ FSS Bag	Carrying Bag 15.5" x 15.5" x 22.5"	1	1	1
SC-2	Medium Step Chock		2	2
RS-44-1-10	4" x 4" x 36" Rizer		2	2
67SC-24	6" x 7" x 24" Super Crib			4
6/7-24	6" x 7" x 24" Super Wedge			2



PART	PROFILE	SIDE VIEW	WEIGHT
RS-44-2-30°			14 lbs.
RS-66-2-30°			30 lbs.
RS-68-2-30°			45 lbs.
RS-44-1-10°			12 lbs.
RS-66-1-10°			30 lbs.
RS-68-1-10°			45 lbs.




towing accessories

- Tire skates in three sizes with lanyards.
- Rollover stick with lanyard.
- Available in black or yellow.

PART	DIMENSIONS	WEIGHT
TS-1W	17 ¹ / ₄ " x 31 ¹ / ₄ " x 4"	3 lbs.
TS-2W	17 ¹ / ₄ " x 61 ¹ / ₂ " x 4"	6 lbs.
TS-4W	17 ¹ / ₄ " x 133 ⁸ / ₈ " x 4"	12 lbs.
44-48PS	31 ¹ / ₂ " x 31 ¹ / ₂ " x 48"	18 lbs.


turtle tiles® deck | compartment matting

PART	DIMENSIONS	WEIGHT
1212 tile	12" x 12" x 3 ³ / ₄ "	1.6 lbs.
AM/AF edges	2.5" x 12"	.5 lbs.
BM/BF corners	2.5" x 14"	.5 lbs.





Create a pedestrian bridge anywhere. One person can carry and assemble!



hose bridge set

- Openings: Two 5" / Two 4" / Two 3"
- 4 piece kit
- Puzzle piece shapes for any configuration
- 14,000 lbs. Per Axle Load Capacity

PART	DIMENSIONS	WGT
HBS	70" x 24½" x 6¾"	60/240

OPTIONS

WSGBS	Grit top walking surface	13 lbs.
WSGBS68	Grit top walking surface	13 lbs.
HJ	Hose Bridge Joiner	2 lbs.
PB-R	Single Side Rail	
PB-R2	Double Side Rail	

super hose bridge set

- Accepts 6" and 8" I.D. hose and O.D. 10¼"
- 6 piece kit
- Puzzle piece shapes for any configuration
- 14,000 lbs. Per Axle Load Capacity

PART	DIMENSIONS	WGT
HBS68	126" x 24½" x 12¼"	540

Optional single or double railing configurations available in powder-coated yellow or brushed aluminum.

curb ramps

Creates safe passage during construction.

PART	DIMENSIONS	WGT
CR	36" x 24" x 6¾"	52 lbs.







3/4" turtle tile®
part 1212




1/2" red
ambulance tile
part 1212-1/2-C




3/4" grit top® tile
part 1212-G



tile with ramp
part 1212



dura grit®
turtle tile
part 1212-DG



linear look® entrance tile
part TT1212-1/2-C



turtle tiles® compartment matting

- Protects vehicle compartments and equipment
- Resists water, fluids and oils
- Slip resistant models available
- 12" x 12" x 3/4" grid or 12" x 12" x 1/2"
- ezMat® can be custom cut for your compartment



turtle plastics

tomorrow re:imagined

distributed by:



Free Spirit

Technology & Security Solutions

www.freespiritusa.cl - preitich@gmail.com Teléfonos + (562) 2570 8875 | + (569) 4215 8767
Free Spirit USA Ltda – Technology & Security Solutions